

7.6. Custom Column

Officers can customise the list view for the different reports available in the system. They can set which columns are available in the lists, reorder, sort, etc. The columns can be attributes or metadata fields.

User Account

GeneralQuery-based NotificationsObject-based NotificationsFavourite ViewsCustom ColumnsExport by AttributeDefault Queries

ORIGINAL REPORTS

Available Attributes

type to filter

MetaColumnsOccurrence

Selected Attributes

NotifyE2IDReporting entityReport identificationFile numberHeadlineOccurrence classUTC dateManufactures/modelLocation name

CANCELRESETSAVE

Through this page, the Officer can select the attributes available in the ORs, VRs and OCs lists in the corresponding ‘Safety Data’ menus.

By default, the list of ORs, VRs and OCs in their menus provides a list of attributes, i.e.:

Original Reports

FILEDATAAdvanced FiltersClear All

In ProgressProcessedAllArchived

		E2ID	Reporting Entity	File Number	Report Identification	Headline	Occurrence Class	UTC Date	AC Make Model
All	All							day-month-	
		v0.2				TESTUPDATE			
		v0.3							
		v0.2	United Kingdom > Other > Aircraft operator		TestBMINTGContinuous Diago 1MOR-004-19	CONTINUOUSORVR_6 Loss of Flight management system	Incident	17-Mar-2020	CESSNA > 550 > P SERIES EXISTS
		v0.1	Netherlands > Other > Aerodrome operator		TestBMINTGContinuous Diago 1EH-HO 20052018	CONTINUOUSORVR_6 Balkame sleep verlore	Incident	19-May-2020	CESSNA > 172 > P
		v0.1	Ireland > Other > Aircr...		TestBMINTGContinu...	CONTINUOUSORVR_6 NNC 12 Fuel	Incident	02-Apr-2020	BOEING > 737 > I BAS
		v0.1	Spain > Other > Aerodrome operator		TestBMINTGContinuous Diago 1TFN160737	CONTINUOUSORVR_6 WINDSHEAR ENCOUNTER >> G/A...	Significant incident	10-Jul-2020	ATR > ATR72 > 2C
		v0.1	Netherlands > CAA		TestBMINTGContinuous Diago 1LVNL	CONTINUOUSORVR_6 Traffic is transferred to DutchM	Incident	22-Mar-2012	VERTOL

Through this Custom Columns menu, the Officer can decide which attributes appear in each list; the Officer can add and remove the attributes as well as altering their order.

Thus, the left pane includes a search filter and the metaColumns, with all its fields checked by default:

ORIGINAL REPORTS

Available Attributes

↓^A_Z

↓^Z_A





▼  MetaColumns

☒  E2 Status

☒  E2ID

☒  Notify

☒  OR Initial Date

☒  Version

>  Occurrence

Below is the ECCAIRS taxonomy, which the Officer can navigate to select more attributes. See Taxonomy browser section for further details on its navigation.

The right pane provides the selected metacolumns and attributes. By default, the system provides a list of metacolumns and attributes.

The Officer can hide them through the eye icon next to each one:

Selected Attributes		
Notify		 
E2ID	^	 
Reporting entity	^	 
Report identification	^	 
File number	^	 
Headline	^	 
Occurrence class	^	 
UTC date	∨ ₁	 
Manufacturer/model	^	 
Location name	^	 

27 of 30

The rubbish icon is to delete the attribute or metacolumn of the list of reports.

The Officer can alter their order by dragging and dropping them or by clicking on each arrow, i.e.: E2ID is number 1, then each time the Officer marks an arrow, it sets the order of the attributes in the list:

Selected Attributes		
Notify		 
E2ID	^ ₅	 
Reporting entity	∨ ₁	 
File number	^ ₂	 
Report identification	^ ₄	 
Headline	^ ₆	 
Occurrence class	^ ₃	 

Note: 'Notify' does not have an arrow since it always appears at the beginning of each report row:

Original Reports

 FILE ▾ DATA ▾  Advanced Filters  Clear All

					E2ID^		Reporting Entity		File Number		Report Identification	
All	▾							 Aa		 Aa		 Aa

When the Officer is updating the attributes, before saving the updates, they can always click on the ‘Reset’ button below the list of selected attributes so that the system will set the ‘Selected attributes’ page to the default selection and order.

Note that there is a maximum number of attributes per list; if the Officer does not remove any from the default selection, only two more can be selected from the available list.

Once the Officer has updated the selected attributes and metacolumns, they have to click on the ‘Save’ button, and the tables of reports will be updated accordingly.